

Appendix 2. Vascular Flora Recorded at Aireys Inlet Bushland Reserve

Field survey records

The table below lists the flora species recorded at the Aireys Inlet Bushland Reserve during the survey conducted by the CEM (December 2005) and Steve McDougall and others (October-November 2004).

Key to codes:

* = introduced species

a = Flora species recorded by CEM December 2005

b = Flora species recorded by Steve McDougall (DSE South West), Evelyn Jones, Margaret MacDonald October-November 2004

Conservation status:

EPBC Environment Protection and Biodiversity Conservation Act 1999

E = endangered V = Vulnerable

FFG Flora and Fauna Guarantee Act 1988

L = listed as threatened under the Act

Advisory List of Rare or Threatened Plants in Victoria (DSE 2005)

c = critically endangered e = endangered v = vulnerable n = near threatened

| Family | Species name | Common name | Source |
|------------------------------|--|--|--|
| Ferns and fern allies | | | |
| Dennstaedtiaceae | <i>Pteridium esculentum</i> | Austral Bracken | a, b |
| Lindsaeaceae | <i>Lindsaea linearis</i> | Screw Fern | a, b |
| Monocotyledons | | | |
| Anthericaceae | <i>Thysanotus patersonii</i> <i>Thysanotus juncifolius</i> <i>Thysanotus tuberosus</i> <i>Laxmannia orientalis</i> | Twining Fringe-lily Branching Fringe-lily Common fringe-lily Wire-lily | a, b b a b |
| Centrolepidaceae | <i>Centrolepis</i> spp. | Centrolepis | b |
| Colchicaceae | <i>Burchardia umbellata</i> | Milkmaids | a, b |
| Cyperaceae | <i>Gahnia radula</i> <i>Lepidosperma filiforme</i> | Thatch Saw-sedge Common Rapier-sedge | a, b a, b |
| Iridaceae | <i>Patersonia occidentalis</i> | Long Purple-flag | b |
| Orchidaceae | <i>Acianthus</i> spp. <i>Pterostylis melagramma</i> . <i>Dipodium</i> spp. <i>Thelymitra pauciflora</i> <i>Thelymitra ixioides</i> <i>Thelymitra juncifolia</i> <i>Thelymitra</i> sp. aff. <i>pauciflora</i> (Peppertop) <i>Thelymitra flexuosa</i> <i>Pterostylis sanguinea</i> <i>Caladenia transitoria</i> <i>Corybas unguiculatus</i> <i>Leptoceras menziesii</i> | Mosquito or Mayfly Orchid Tall Greenhood Hyacinth-orchid Salmon Sun-orchid Spotted Sun-orchid Rush-leaf Sun-orchid Peppertop Sun-orchid Twisted Sun-orchid Banded Greenhood Eastern Bronzehood Small Pelican-orchid Hare orchid | a b a b b b b b b b b b b b |
| Phormiaceae | <i>Dianella revoluta</i> var. <i>revoluta</i> s.l. <i>Dianella admixta</i> <i>Dianella brevicaulis</i> | Black-anther Flax-lily Black anther Flax-lily Coast Flax-lily | a b b |
| Poaceae | <i>Deyeuxia minor</i> <i>Tetrahera distichophylla</i> <i>Austrostipa</i> spp. | Small Bent-grass Hairy Rice-grass Spear-grass | a, b b a |

| Family | Species name | Common name | Source |
|---------------------|---|------------------------|--------|
| Xanthorrhoeaceae | <i>Austrostipa</i> spp. | Spear-grass | a |
| | <i>Austrodanthonia</i> spp. | Wallaby-grass | a |
| | <i>Austrodanthonia</i> spp. | Wallaby-grass | a |
| | <i>Themeda triandra</i> | Kangaroo Grass | a, b |
| | <i>Aira</i> spp. | Hair Grass | a |
| | <i>Microlaena stipoides</i> var. <i>stipoides</i> | Weeping Grass | a |
| Xanthorrhoeaceae | <i>Xanthorrhoea minor</i> ssp. <i>lutea</i> | Small Grass-tree | a, b |
| | <i>Lomandra filiformis</i> var. <i>coriacea</i> | Wattle Mat-rush | a, b |
| | <i>Lomandra filiformis</i> var. <i>filiforme</i> | Wattle Mat-rush | b |
| Dicotyledons | | | |
| Apiaceae | <i>Hydrocotyle</i> spp. | Pennywort | b |
| Asteraceae | <i>Brachyscome uliginosa</i> | Small Swamp-daisy | b |
| | <i>Brachyscome multifida</i> | Cut-leaf Daisy | a, b |
| | <i>Helichrysum scorpioides</i> | Button Everlasting | a, b |
| | <i>Chrysanthemoides monilifera</i> subsp. <i>monilifera</i> | African Boneseed | a |
| | <i>Microseris</i> sp. 3 | Yam Daisy | b |
| Boraginaceae | <i>Cynoglossum sauveolens</i> | Sweet Hound's-tongue | b |
| Campanulaceae | <i>Wahlenbergia</i> spp. | Bluebell | a |
| | <i>Wahlenbergia stricta</i> subsp. <i>stricta</i> | Tall Bluebell | b |
| Clusiaceae | <i>Hypericum gramineum</i> | Small St John's Wort | a |
| Dilleniaceae | <i>Hibbertia riparia</i> | Erect Guinea-flower | a, b |
| | <i>Hibbertia sericea</i> vars. <i>densiflora</i> / <i>sericea</i> | Silky Guinea-flower | a, b |
| | <i>Drosera peltata</i> subsp. <i>auriculata</i> | Tall Sundew | b |
| Epacridaceae | <i>Acrotriche serrulata</i> | Honey-pots | a, b |
| | <i>Astroloma humifusum</i> | Cranberry Heath | a, b |
| | <i>Epacris impressa</i> | Common Heath | a, b |
| Euphorbiaceae | <i>Poranthera microphylla</i> | Small Poranthera | b |
| Fabaceae | <i>Bossiaea prostrata</i> | Creeping Bossiaea | a, b |
| | <i>Dillwynia cinerascens</i> | Grey Parrot-pea | b |
| | <i>Sphaerolobium minus</i> | Eastern Globe-pea | b |
| | <i>Gompholobium ecostatum</i> | Dwarf Wedge-pea | a, b |
| | <i>Platylobium obtusangulum</i> | Common Flat-pea | a, b |
| | <i>Pultenaea daphnoides</i> | Large-leaf Bush-pea | a |
| Goodeniaceae | <i>Goodenia geniculata</i> | Bent Goodenia | a, b |
| | <i>Goodenia lanata</i> | Trailing Goodenia | a, b |
| Lauraceae | <i>Cassytha glabella</i> | Slender Dodder-laurel | a, b |
| | <i>Cassytha melantha</i> | Coarse Dodder-laurel | a, b |
| | <i>Cassytha pubescens</i> s.s. | Downy Dodder-laurel | a, b |
| Mimosaceae | <i>Acacia verniciflua</i> | Varnish Wattle | a, b |
| | <i>Acacia pradoxa</i> | Hedge Wattle | a, b |
| | <i>Acacia longifolia</i> subsp. <i>sophorae</i> | Coast Wattle | a |
| | <i>Acacia verticillata</i> | Prickly Moses | a, b |
| | <i>Acacia pycnantha</i> | Golden Wattle | a, b |
| Myrtaceae | <i>Leptospermum continentale</i> | Prickly Tea-tree | a, b |
| | <i>Eucalyptus obliqua</i> | Messmate Stringybark | a, b |
| | <i>Leptospermum myrsinoides</i> | Heath Tea-tree | b |
| | <i>Eucalyptus radiata</i> | Narrow-leaf Peppermint | a, b |
| | <i>Eucalyptus</i> sp. aff. <i>cypellocarpa</i> (Anglesea) | Otway Grey-gum | a, b |
| | <i>Eucalyptus tricarpa</i> | Red Ironbark | a, b |
| Pittosporaceae | <i>Billardiera scandens</i> var. <i>scandens</i> | Common Apple-berry | a, b |
| Plantaginaceae | <i>Plantago varia</i> | Variable Plaintain | b |
| Polygalaceae | <i>Comesperma volubile</i> | Love creeper | b |
| Proteaceae | <i>Banksia marginata</i> | Silver Banksia | a, b |
| | <i>Isopogon ceratophyllus</i> | Horny Cone-bush | a, b |
| | <i>Persoonia juniperina</i> | Prickly Geebung | a, b |

| Family | Species name | Common name | Source |
|------------------|---|---|-------------------|
| Rhamnaceae | <i>Pomaderris ferruginea</i> <i>Spyridium parvifolium</i> | Rusty Pomaderris Dusty Miller | a a |
| Rosaceae | <i>Aceana agnipila</i> | Hairy Sheep's Burr | b |
| Rubiaceae | <i>Opercularia varia</i> | Variable Stinkweed | a |
| Scrophulariaceae | <i>Veronica plebeia</i> | Trailing Speedwell | b |
| Stackhousiaceae | <i>Stackhousia monogyna</i> | Creamy Stackhousia | b |
| Stylidiaceae | <i>Stylium armeria</i> | Common Triggerplant | b |
| Thymelaeaceae | <i>Pimelea humilis</i> <i>Pimelea octophylla</i> <i>Pimelea linifolia</i> subsp. <i>linifolia</i> | Common Rice-flower Woolly Rice-flower Slender Rice-flower | a, b b a, b |
| Violaceae | <i>Viola hederacea</i> sensu Willis (1972) <i>Viola cleistogamoides</i> | Ivy-leaf Violet Hidden Violet | b b |